

# **ATHLETICS**

Hammer, Discus, Shot Put, Javelin



### Competition Aluminium Discus And Hammer Cage 7/10 M

The competition aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness rises from four to six mm. In the lower part the 10 m posts are additionally reinforced with a cross bracket. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of six 7 m posts, four 10 m posts and two gates with trolley.

**Order No. SP 30290 D** (Double Net)  
**Order No. SP 30290 DS** (Dismantle to fit a 20" container)



### Ground Socket Standards for Discus and Hammer Cage

The standard ground socket is made from aluminium. It fits the discus and hammer cage posts exactly. It is available in two lengths: 500 mm (for discus cage and training hammer cage) and 800 mm (competition hammer cage)

**Order No. SP 30090** 500 mm  
**Order No. SP 30100** 800 mm

\*Subject to technical alterations





### Discus & Hammer Safety Cage 5.5 m High

The training aluminium discus and hammer cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness is 2.5 mm. The gate of the cage can be adjusted by one person only. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of eight 5.5 m posts and two gates.

**Order No. SP 30020**



### Competition Discus Cage 4 M

The competition discus cage is made from extra sturdy aluminium profiles. The profile measures a cross section of 120x100 mm. The wall thickness measures 3 mm. All posts are equipped with a spacer to keep the net in the correct position. The cage is equipped with a knotless UV protected PP net. The net measures a thickness of 5 mm and a mesh width of 45 mm. The net can be raised and lowered by devices on each post. One set consists of seven 4 m posts.

**Order No. SP 30070** profiles (Ø 120 x 100 mm, wall thickness 2.5 mm)

**Order No. SP 30080** profiles (Ø 120 x 100 mm, wall thickness 4-6 mm)

**Order No. SP 30060** Free standing version



\*Subject to technical alterations



### Shot Put Stop Board

#### Shot Put Stop Board Wood

The shot put stop board is made from multilayer laminated wood. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. It is painted in white colour.

**Order No. SP 30430**



#### Shot Put Stop Board Synthetic

The shot put stop board is made synthetic material. It is designed in the shape of an arc, which aligns with the inner edge of the shot put ring. It can be fixed to the ground with screws easily. The item is certified by the IAAF shot put ring. It can be fixed to the ground with screws easily.

**Order No. SP 30440**



### Javelin Stop Board

The javelin stop board is made from aluminium. It is an 7 cm wide arc. The arc is 4 m wide and measures an inside diameter of 8 m. The stop board is kept in position by spikes on the bottom side. The stop board marks the end of the run way. The item complies with IAAF regulation 187.

**Order No. SP 30460**



### Hammer Inlay Ring Fibre Glass

The hammer inlay ring is made from fiberglass. The inlay ring reduces the diameter of the ring from the discus event for the hammer event. The ring consists of four elements.

**Order No. SP 30140**



\*Subject to technical alterations



### Discus & Shot Put Ring Dismantle Version

**This ring built for space saving purpose.**

The Shot Put Ring is rolled precisely with a diameter of 2.135 m. This version can be dismantled to reduce freight charges as well as protecting the product from taking damage.

**Order No. SP 30210/DS**



The Discus Ring is rolled precisely with a diameter of 2.50 m. This version can be dismantled to reduce freight charges as well as protecting the product from taking damage.

**Order No. SP 30220/DS**



### Shot Put Ring

The Shot Put Ring is rolled precisely with a diameter of 2.135 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside.

**Order No. SP 30210**



### Discus Ring

The Discus Ring is rolled precisely with a diameter of 2.50 m. Additional struts guarantee this two-section circle's stability and strength. Included centre point and marking for levelling of the concrete surface inside.

**Order No. SP 30220**



\*Subject to technical alterations





### Shot Put Cover

The cover for discus and shot put ring is made from special aluminium profiles. The profiles are joint by tongue and groove. The cover is equipped with handle to move it easily. It covers the shot put ring, or discus ring as well as the shot put stop board.

**Order No. SP 30340**



### Distance Marker Boxes

The distance marker box is made from fibreglass. It is triangular shaped. The boxes are stackable. It displays the number of the distance.

The set for shot put consists of 12 pieces: 12, 14, 16, 18, 20 and 22 m

**Order No. SP 31810**

The set for hammer, discus and javelin consists of 22 pieces: 40, 45, 50, 55, 60, 65, 70, 75, 80, 85 and 90m.

**Order No. SP 31800**

It is one unit of marker. The number for this marker can be chosen.

**Order No. SP 31790**



### Marker

The rectangular marker is made from aluminium. It is square in shape and shows the throwing distance for the athletes. The item is white powder coated. One set consists of 12 numbered pieces.

**Order No. SP 10889**

The marker spikes are made from steel. It measures a length of approximately 40 cm. The item is orange powder coated. One set consists of 12 numbered pieces.

**Order No. SP 10890**

\*Subject to technical alterations

### Competition Stainless Steel Hammer

The competition stainless steel hammer is made from stainless steel. It is designed for competition purpose. The whole surface is turned. The hammers are powder coated. The swivel is made from high quality hardened steel.



Order No. SP	Weight
31720	3.00kg, Diameter 95mm
31730	4.00kg, Diameter 95mm, IAAF certified
31740	5.00kg, Diameter 100mm, IAAF certified
31750	5.45kg, Diameter 105mm, IAAF certified
31760	5.45kg, Diameter 110mm, IAAF certified
31770	6.00kg, Diameter 110mm, IAAF certified
31780	7.26kg, Diameter 110m



### Training Steel Hammer

The training steel hammer is made from steel. It is designed for training purpose. The hammers are powder coated. The swivel is made from high quality hardened steel.

Order No. SP	Weight
32080	1.00 kg
32090	2.00 kg
32100	2.50 kg
32110	2.80 kg
32120	3.00 kg

### Competition Steel Hammer

The competition steel hammer is made from steel is designed for competition purpose. The surface is turned. The hammers are powdercoated. The swivel is made from high quality hardened steel.



Order No. SP	Weight
31590	4.00kg, Diameter 95mm, IAAF certified
31610	5.00kg, Diameter 100mm, IAAF certified
31630	6.00kg, Diameter 105mm, IAAF certified
31640	6.00kg, Diameter 110mm, IAAF certified
31650	7.26kg, Diameter 110mm, IAAF certified

\*Subject to technical alterations



### Hammer Glove

The hammer glove is made from genuine leather. It is available in four different sizes. There are gloves for left-handed and right-handed throwers.


**Order No. SP 32000**

### Competition Brass Hammer

The competition brass hammer is made from brass. It is designed for competition purpose. The whole surface is turned and sanded. The swivel is made from high quality hardened steel.



Order No. SP	Weight
31530	3.00kg, Diameter 95mm
31540	4.00kg, Diameter 95mm, IAAF certified
31550	5.00kg, Diameter 100mm, IAAF certified
31560	5.45kg, Diameter 110mm, IAAF certified
31570	6.00kg, Diameter 105mm, IAAF certified
31580	7.26kg, Diameter 110mm, IAAF certified



### Hammer Wire

The hammer wire is made from galvanized steel. The diameter of the wire is 3mm. The wire is available in different lengths from 360 to 1000mm.

**Order No. SP 31700**



### Hammer Bag

The bag is made from waterproof synthetic fabric. For closing the bag, a velcro is attached. The handle is made from special sturdy material. The bag can be used for shot put and hammer.

**Order No. SP 31870**

\*Subject to technical alterations






### Training Steel Shot Put

The training steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is powder coated. The shot is available in different weights and diameters.

Order No. SP	Weight
20431	1.00 kg
20432	1.50 kg
20433	1.80 kg
20434	2.00 kg
20435	2.27 kg
20436	2.70 kg
20437	2.72 kg
20438	2.72 kg, Diameter: 90mm
20371	3.00 kg
20372	4.00 kg
20373	5.00 kg
20374	6.00 kg



### Indoor Shot Put

Indoor Shot Put is designed for all skill levels. It is ideal for indoor training. The indoor shot put features a durable elastic PVC shell that completely covers the shot put.

Order No. SP	Weight
30500	1.50 kg
30510	2.00 kg
30520	2.50 kg
30530	3.00 kg
30540	3.50 kg
30550	4.00 kg
30560	4.50 kg
30570	5.00 kg
30580	6.00 kg
30590	7.26 kg

### Competition Steel Shot Put


The competition steel shot put is made from steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. The surface is powder coated. The shot is available in different weights and diameters.



Order No. SP	Weight
20375	7.26kg
20380	4.00kg, Diameter 95mm, IAAF certified
20390	5.00kg, Diameter 110mm, IAAF certified
20400	6.00kg, Diameter 115mm, IAAF certified
20410	7.26kg, Diameter 113mm, IAAF certified
20420	6.00kg, Diameter 120mm, IAAF certified
20430	7.26kg, Diameter 128mm, IAAF certified

### Indoor Shot Put Mat

The indoor shot put mat is made from a special foam in a sandwich construction. The construction minimizes the rebound and leaves a visible mark of the impact.



\*Subject to technical alterations

### Shot Put Bag

The shot put bag is made from a waterproof synthetic material. It can hold one implement only. It is equipped with a sturdy handle and can be closed with a Velcro. The bag is available in different sizes.

**Order No. SP 31860**



### Brass Shot Put

The brass shot put is made from brass. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.

Order No. SP	Weight
30660	4.00kg, Diameter 100mm, IAAF certified
30670	5.00kg, Diameter 110mm, IAAF certified
30680	6.00kg, Diameter 110mm, IAAF certified
30690	7.26kg, Diameter 115mm, IAAF certified



### Stainless Steel Shot Put

The stainless steel shot put is made from stainless steel. It is filled with a special mixture of lead and fine shot. The surface is completely turned. It is polished and covered in petroleum jelly. The shot is available in different weights and diameters.

Order No. SP	Weight
30910	3.00kg, Diameter 150mm
30920	3.00kg, Diameter 110mm
30930	4.00kg, Diameter 95mm, IAAF certified
30940	4.00kg, Diameter 100mm, IAAF certified
30950	4.00kg, Diameter 105mm, IAAF certified
30960	5.00kg, Diameter 105mm, IAAF certified
30970	5.00kg, Diameter 110mm, IAAF certified
30980	5.00kg, Diameter 115mm, IAAF certified
30990	5.45kg, Diameter 105mm, IAAF certified
31000	6.00kg, Diameter 105mm, IAAF certified
31010	6.00kg, Diameter 110mm, IAAF certified
31020	7.26kg, Diameter 115mm, IAAF certified

\*Subject to technical alterations

### Discus Bag

Bags for discus is made from waterproof synthetic fabric. Each bag provides space for one discus. The bag can be closed with a velcro and is easy to carry because of the sturdy handle.

Size: Up to 1.00 kg

**Order No. SP 31890**

Size: Up to 1.50 kg

**Order No. SP 31900**

Size: Up to 2.00 kg

**Order No. SP 31910**



### Hard Rubber Discus

The hard rubber discus is made from rubber. It is very durable and resistant to unfavourable conditions. It is designed for serial throwing with a risk of hitting other disci. The discus is available in different weights.

Order No. SP	Weight
31340	0.75 kg
31350	1.00 kg
31370	1.50 kg
31380	1.75 kg
31390	2.00 kg



### Soft Rubber Discus

The soft rubber discus is made from non marking rubber. It is designed for indoor training. The discus is available in different weights.

Order No. SP	Weight
31400	1.00 kg
31410	1.25 kg
31420	1.50 kg
31430	1.75 kg
31440	2.00 kg





### Competition Plastic Discus

The competition plastic discus is made from corrosion free special alloy with plastic side plates. The side plates are reinforced with fibreglass. The modern construction does not require a traditional centre plate. It is available in different weights.



Order No. SP	Weight
31280	0.75kg
31290	0.80kg
31330	1.00kg, IAAF certified
31310	1.50kg, IAAF certified
31320	1.75kg, IAAF certified
31330	2.00kg, IAAF certified



### Shot Put Rack

The shot put rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 10 shots.

**Order No. SP 30350** Mobile version  
**Order No. SP 30360** Stationary version



### Discus Rack

The discus rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 14 discuses.

**Order No. SP 30370** Mobile version  
**Order No. SP 30380** Stationary version

\*Subject to technical alterations

**Javelin Rack**

The javelin rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 15 javelins.

**Order No. SP 30390** Mobile system

**Order No. SP 30400** Stationary version

**Hammer Rack**

The hammer rack is made from aluminium. The sturdy construction is welded in one piece. The turning wheels increase the handling comfort of this rack. It provides space for up to 6 hammers.

**Order No. SP 30410** Mobile system

**Order No. SP 30420** Stationary version