



| Hockey



Outdoor Hockey Goal

The outdoor hockey goal post is made from extra sturdy aluminium profiles. The goal measures a width of 3.66 m and a height of 2.14 m. The top projection measures 0.9 m, whereas the bottom one is 1.2 m. The goal frame is manufactured from an extra sturdy rectangular profile with a cross section of 75x50x6 mm. The profile is specially designed to reduce dents from the ball impact. The front frame is white coated and equipped with our 'INTERLOCK' net hook system. The lower section of the goal post is made from extra strong aluminium boards, which are covered with EPDM. The boards are 46 cm high. The net is fixed free hanging. Therefore the ball cannot hit the support structure of the net, which prevents the ball from bouncing out of the goal. The goal post is further equipped with transport wheels. The total of 4 wheels ensure a comfortable moving of the goals. The goal post complies with the latest FIH rules and regulations.

Order No. SP 90080



Field Hockey Goal Net


The net is made from high tenacity polypropylene (PP). The net measures a width of 3.66 m and a height of 1.80 m. The projection of the net is 0.90 m on top and 1.20 m on the bottom. The mesh width of the net is 45 mm. The net is available in 3 mm diameter. The net is green in colour.

Order No. SP 90010

The net is made from high tenacity polypropylene (PP). The net measures a width of 3.66 m and a height of 1.80 m. The projection of the net is 0.90 m on top and 1.20 m on the bottom. The mesh width of the net is 25 mm. The net is available in 3 mm diameter. The net is green in colour.

Order No. SP 90000

*Subject to technical alterations




Hockey Technical Shelter Model "BA"

The technical table Model 'BA' for hockey is made from special aluminium profiles. It measures a length of 4.6 m (90266). The height of the technical table is 2.5 m. The depth measures 3.0 m. The technical table is equipped with a raised floor, which is realized from special aluminium profiles with an anti-slip surface. The interior height is approx. 2.2 m, which allows an upright standing on the inside. The lower section is lined with aluminium. This provides an optimum safety against hockey balls. The top and front is covered with polycarbonate sheets, which makes the item water tight. The technical table is equipped with two sliding doors. The doors are lockable. On the inside it is furnished with a table for the judges.

Order No. SP 90266
Order No. SP 90267

Length 4.60m
Length 2.30m



Technical Table Model "SG"

The technical shelter is made from special aluminium profiles. The lower section is lined with aluminium. The top section is covered with see through polycarbonate. On the back side, the shelter on request can covered with coloured polycarbonate sheets. The shelter measures a total height of 2.20 m . Depth 1.90 m. On the inside the shelter is equipped with a writing table. The table are made from aluminium as well. The windows in front and side can closed with roll up. Included two doors left and right side.

Order No. SP 90260 Length 4.70 m
Order No. SP 90265 Length 2.30 m

*Subject to technical alterations



Technical Shelter 2.5 m (ECO VERSION)

The technical shelter is made from special aluminium profiles. The whole shelter is welded in one piece. The lower section in front and at the side is lined with aluminium. The top front section is covered with see through polycarbonate. On the back side the shelter is covered with coloured polycarbonate sheets. The shelter measures a total height of 250 cm. The roof overhang is around 40 cm. The depth at ground level is 150 cm. It measures a total length of 244 cm. On the inside the shelter is equipped with a writing table.

Order No. SP 90280

Order No. SP 90285 Length on request



*Subject to technical alterations



Flag Poles

The hockey flag pole consists of 3 parts: the base, the flag pole and the flag. There are two types of mobile bases: stainless steel (notched corner and round) and solid plastic. The flag pole for mobile bases measures a height of 1.6 m and is realized from a shatterproof non flexible plastic pole with a diameter of 50 mm. There are two types of ground sockets for fixed flag poles: standard and special ground socket. The depth of the ground socket is 20 cm. The socket is made from aluminium. The special ground socket is equipped with coat able cover.

The flag pole for fixed bases measures a height of 1.8 m and is realized from a shatterproof plastic pole with a diameter of 50 mm. There are two type of poles: flexible and non-flexible.

The flag itself measures 40x40 cm. It is available in assorted colours.

Order No. SP 90040

Mobile Bases

Order No. SP	Material	Shape
90040	Stainless Steel	Corner Notched
90050	Stainless Steel	Round
110500	Plastic	Round

Fixed Bases

Order No. SP	Type
110480	Standard Ground Socket with Lid
110490	Special Ground Socket with Coatable Cover

Poles

Order No. SP	Type	Colour
110620	Non Flexible	Yellow
110530	Flexible	White

Flags

Order No. SP	Colour
110540	Red
110550	White
110560	Yellow
110570	Red White
110580	Blue White
110590	Yellow Orange
110600	Orange

