

| Soccer & Rugby



Competition Soccer Goal Post Free Hanging System

Professional football goal type, Dimension 7.32 x 2.44 m. Compliant with the latest FIFA requirements. The goal post frames (100 x 120 mm), with a 2.5 mm wall thickness, are fitted with our integrated net suspension system. Goal corners (with corner strengthening on the insides). The goalposts are joined to the crossbar by means of a connecting plug and this guarantees enormous stability along with the option of dismantling the goal (for example for space-saving storage). The net hooks are integrated directly into the goal frame. This means that there are no external hooks, screwed or welded on, the net can be hung up or taken down easily and there is a significantly reduced danger of injury. Two net support poles are included. The goal post is white powder coated.

Order No. SP 110120
Order No. SP 110130

Powder coated
Aluminium surface

Bar Frame

The bar frame is made from a special aluminium profile. Its cross section is 50x50x3 mm. The profile is equipped with a slot to fix the net hooks in the profile. The bar frame consists of three parts. The two side parts and the rear crossbar. The projection of the bar frame is 2.00 m. All screws to assemble the bar frame are made from stainless steel and are supplied together with the item.

Order No. SP 110121

*Subject to technical alterations



Training Goal Post Aluminium Surface

The practice soccer goal post is made of high-grade aluminium profiles. The inside dimension of this goal are 7.32x2.44 m. The front frame of the goal is made from oval 120x100x2.5 mm profile. The bottom frame is made from a rectangular hollow 80x60x3 mm. The top projection of the goal is 0.8 m. The lower projection measures 2.0 m. The item is available in a fully welded version and in a dismantle version for export. The goal is extremely robust and durable. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly.

Order No. SP 110040

Dismantle

Order No. SP 110030

Fully welded



Practice Soccer Goal Dismantle Version White Powder Coated

The practice soccer goal post is made of high-grade aluminium profiles. The inside dimension of this goal are 7.32x2.44 m. The front frame of the goal is made from oval 120x100x2.5 mm profile.

The bottom frame is made from a rectangular hollow 80x60x3 mm. The top projection of the goal is 0.8 m. The lower projection measures 2.0 m. The item is dismantle for export.

The goal is extremely robust and durable. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly. The front frame of this goal post is powder coated in white colour.

Order No. SP 110050



Transport Wheel (Welded To The Post)

The transport wheels for goal posts are made from polyamide. The wheels measure a diameter of 200 mm. The support structure is realized by aluminium. The wheels are mounted with stainless steel screws. The item is directly welded to the goal post.

Order No. SP 110060



Transport Wheel For Goal Post

The transport wheels for goal posts are made from polyamide. The wheels measure a diameter of 200 mm. The support structure is realized by aluminium. The wheels are mounted with stainless steel screws. The item is directly can be fixed to the goal post on site.

Order No. SP 110061



Counterweights

The counterweights are made from aluminium. The weights are fixed on the back side of the bar frame. The weights provide sufficient weight to prevent the goal from toppling over in accordance with the EN standard. The wheels for the counterweights are made from polyamide. They measure a diameter of 200 mm. The wheels are used to move the goal around comfortably.

Order No. SP 110070

INFO - SECURING GOALS

Caution: danger of falling over! According to the regulations of local accident prevention federations and DIN/EN, movable goals must be secured against falling over. For example, with a junior goal with a 1.5 m base depth, a 125 kg counterweight is necessary to ensure a stability of 1100 N in accordance with DIN/EN.

For junior goals with ground frames of rectangular profiles

100 kg – for a depth of 2 m

125 kg – for a depth of 1.5 m

Order No. SP 110067

Order No. SP 110069/1.5

Order No. SP 110069/2.0

100 Kg counter weight. For mobile goal post 7.32 x 2.44 m, Projection 2.00 m.

125 Kg counter weight. For junior goal post 5.00 x 2.00 m. Projection 1.50 m

100 Kg counter weight. For junior goal post 5.00 x 2.00 m. Projection 2.00 m



Ground Anchors

The ground anchor is made from aluminium. The aluminium is equipped with a thread for an M 16 screw. The ground anchor is used to fix mobile goal posts to the floor. One set consists of 4 aluminium anchors and 4 stainless steel screws.

Order No. SP 111210

*Subject to technical alterations



Junior Football Goals (5 X 2 M)

Junior football goals (5 x 2 m) made of high-grade aluminium profiles, welded in one piece. Our junior football goal is manufactured from high-grade aluminium profiles. Oval goal frame profile (100 x 120 x 2.5 mm), Rectangular ground frame profile (80 x 60 x 3 mm). The goal is extremely robust and durable.

The aluminium construction also guarantees that they are easy to handle and have the typical aluminium stability.

Order No. SP 110210 Projection 1.00 m

Order No. SP 110220 Projection 1.50 m

Order No. SP 110230 Projection 2.00 m

Order No. SP 110240 Projection 1.00 m (Dismantle Version)

Order No. SP 110250 Projection 1.50 m (Dismantle Version)

Order No. SP 110260 Projection 2.00 m (Dismantle Version)

Order No. SP 112071 Frame 3.66 x 1.80 m Projection 0.80/1.50 m welded on one piece

Order No. SP 112072 Frame 3.66 x 1.80 m Projection 0.80/1.50 m (Dismantle Version)

Order No. SP 110251 Projection 1.50 m (Dismantle Version, Frame white powder coated)



Futsal Goal Post

The futsal goal is made from special aluminium profiles. The profiles for the front frame are square hollow with a cross section of 80 x 80 x 2.5 mm. The profile is equipped with an integrated net suspension system. The bar frame is made from a 50 x 50 x 3 mm square hollow with integrated net suspension as well. The goal measures 3.00 m in width and 2.00 m in height. The projection is 0.80 m at the top and 1.00 m at the bottom. The goal is available fully welded or dismantle for export.

Order No. SP	Type	Colour
110390	Fully welded	Aluminium
110391	Dismantle	Aluminium
110410	Fully welded	White
110420	Dismantle	White



Futsal Goal Post Foldable

The futsal goal foldable is made from special aluminium profiles. The profiles for the front frame are square hollow with a cross section of 80 x 80 x 2.5 mm. The profile is equipped with an integrated net suspension system. The bar frame is made from a 50 x 50 x 3 mm square hollow with integrated net suspension as well. The goal measures 3.00 m in width and 2.00 m in height. The projection is 0.80 m at the top and 1.00 m at the bottom. The projection can be folded inwards and upwards to minimize the storage space for this goal post. The goal is available fully welded or dismantle for export.

Order No. SP	Type	Colour
110370	Fully welded	Aluminium
110371	Dismantle	Aluminium
110380	Fully welded	White
110381	Dismantle	White

*Subject to technical alterations

Mini Goal Post Fully Welded

The mini soccer goal post is made from special aluminium profiles. The profiles for the front frame are square hollow with a cross section of 80 x 80 x 2.5 mm. The profile is equipped with an integrated net suspension system. The bar frame is made from a 40x40x3 mm square hollow. The projection of the mini soccer goal post is 0.5 m at the top and at the bottom. The goal is available fully welded or dismantle for export. Front frames also available in oval profile 100 x 120 mm.

Order No. SP	Type	Dimension	Net type	Colour
111240	Football goal	120 x 80cm		
111270	Football goal	180 x 120cm		
111300	Football goal	150 x 100cm		
111310	Football goal	240 x 160cm		
111320	Net for Football goal	120 x 80cm	PP 4mm	Green
111330	Net for Football goal	180 x 120cm	PP 4mm	Green
111331	Net for Football goal	150 x 100cm	PP 4mm	Green
111340	Net for Football goal	240 x 160cm	PP 4mm	Green



Mini Goal Post Foldable version

The mini soccer goal post is made from special aluminium profiles. The profiles for the front frame are square hollow with a cross section of 80 x 80 x 2.5 mm. The profile is equipped with an integrated net suspension system. The bar frame is made from a 40 x 40 x 3 mm square hollow. The projection of the mini soccer goal post is 0.5 m at the top and at the bottom. The net supporters at the side and the bar frame can be folded. This folding allows to minimize the storage space of this post. The goal is available fully welded or dismantle for export.

Front frames also available in oval profile 100 x 120 mm.

Order No. SP 111250 120 x 80 cm.

Order No. SP 111260 150 x 100 cm.

Order No. SP 111280 180 x 120 cm.

Order No. SP 111291 240 x 160 cm.

*Subject to technical alterations



Beach Soccer Post - Type 1

The portable beach soccer goal post is made of high-grade aluminium profiles. The inside dimension of this goal are 5.5x2.2 m. The front frame of the goal is made from oval 120x100x2.5 mm profile. The bottom frame is made from a rectangular hollow 80x60x3 mm. The top projection of the goal is 0.8 m. The lower projection can be chosen between three options (1.0 m, 1.5 m, and 2.0 m). The goal is completely powder coated in yellow colour. The item is available in a fully welded version and in a dismantle version for export. The goal is extremely robust and durable. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly.

Order No. SP 114000

Portable Beach Soccer Goal (5.5 m)

Order No. SP 113292

Frame dimension 3.00 x 2.00 m

Beach Soccer Goal Post - Type 2

Beach Soccer Goal free hanging net. Portable (5.5 m) The portable beach soccer goal post is made of high-grade aluminium profiles. The inside dimension of this goal are 5.5x2.2 m. The front frame of the goal is made from oval 120x100x2.5 mm profile. The bottom frame is made from a rectangular hollow 80x60x3 mm. The top projection of the goal is 0.8 m. The lower projection can be chosen between three options (1.0 m, 1.5 m, and 2.0 m). Our goal post is completely powder coated in yellow colour. The item is available in a fully welded version and in a dismantle version for export. The goal is extremely robust and durable. It is equipped with the INTERLOCK net hook system, which ensures that the nets hang perfectly.

Order No. SP 114005



Beach Soccer Line Marker

Beach soccer accessories: tape used for marking the playing field. Set of 2 tapes, length 37 m and width 80 mm, with eyelets on the tips.

Order No. SP 114040

*Subject to technical alterations



Backstop Post For Soccer - Height 4, 5, 6, 7, 8m

The backstop is made from special aluminium profiles. The backstop posts are fitted in ground sockets. The cross section of the post measures 120 x 100 x 2.5 mm. The ground sockets measure a length of 800 mm. The net is made from high tenacity knotless PP. The mesh width is 100 mm. It is green in colour. The net is fixed onto stainless steel wires. The stainless steel wires can be fixed with the also supplied turnbuckles. Usually the backstop measures a length of 25 m. Other lengths are available on request.

*Subject to technical alterations



AFN Multi Court

The boards for our AFN MULTI COURT are made of aluminium side profiles (double-walled, wall thickness 2.3 mm) bordered in a U-profile with a radius of 2 mm and completely welded. The boards are 1 metre high. Rubber mats are placed under each fastening position to reduce the noise levels. For the freestanding version, counterweights (each weight approx. 20 kg) are placed on the base frames of the posts. Sockets or weights are included. The net is hung up via Nylon rings which are fitted onto the outsides of the boards through which a rope can be threaded. The entrance door (in the standard version: width 1 m, height 3 m) is a part of one board and is opened outwards. Fully welded doors, 3 x 2 m, made from high-grade aluminium.

Order No. SP 111200

Our AFN integrated net hooks are used for the net suspension. In the standard version, the nets are made of polypropylene (PP), 4 mm thick, with a mesh size of 100 x 100 mm. The net is fixed on via rings welded on to the boards and on the upper parts of the upright posts. The net encloses the court completely up to a total height of 3 metres.

On request soccer court can be extended with further board elements, but also with mini-goals, basketball rings or volleyball equipment.

The complete construction is made from aluminium.

Order No. SP 115005 Dimension on request

Order No. SP 115000 Dimension 30 x 10 m.

Order No. SP 115010 Dimension 20 x 10 m.

Order No. SP 115020 Dimension 18 x 10 m.

Order No. SP 115030 Dimension 15 x 10 m.

Bear in mind when comparing products.

- Completely from aluminium.
- Low noise level.
- Flexibly extendible.

Other dimensions on request.

*Subject to technical alterations



Player & Coaches Cabin Curved Roof

The player cabin curved roof is made from high grade aluminium profiles. The structure is made from square hollow profiles with a cross section of 40x40x3 mm. The lower section is line by special aluminium profiles. The back side of the player cabin is closed with polycarbonate sheets. The sheets are mounted in a special support profile, which have a groove to mount them. All seating profiles are powder coated. The cabin measures a height of 2.2 m with a roof overhang of 20 cm. The bottom depth of the cabin is 90 cm. The player cabin is manufactured in one piece. For export, the cabin is also available in a dismantled version. On request, the whole cabin can be powder coated. The cabin is available in various lengths.

Order No. SP 117010	Length 2.00 m
Order No. SP 117000	Length 3.00 m
Order No. SP 117020	Length 4.00 m
Order No. SP 117040	Length 5.00 m
Order No. SP 117050	Length 6.00 m
Order No. SP 117060	Length 7.00 m
Order No. SP 117061	Length 8.00 m

Player & Coaches Cabin Curved Roof Model CLASSIC with Wheels

The wheels for player cabins are directly welded to the side/back part of the player cabin. The wheels measure a diameter of 200 mm. For player cabins below 5 m one set consists of 4 wheels. For player cabins with a length of 5 m or above another wheel is added at the back.

Order No. SP 116990



Player Cabin Model "ECO 1"



The player cabin ECO 1 is made from high grade aluminium profiles. The structure is made from square hollow profiles with a cross section of 40x40x3 mm. The back side of the player cabin is closed with polycarbonate sheets. The sheets are mounted in a special support profile, which have a groove to mount them. All seating profiles are powder coated. The cabin measures a height of 2.2 m with a roof overhang of 15 cm. The bottom depth of the cabin is 83 cm. The player cabin is manufactured in one piece. For export, the cabin is also available in a dismantled version. On request, the whole cabin can be powder coated. The cabin is available in various lengths.

Order No. SP 117570	Length 2.00 m
Order No. SP 117575	Length 3.00 m
Order No. SP 117580	Length 4.00 m
Order No. SP 117585	Length 5.00 m
Order No. SP 117590	Length 6.00 m
Order No. SP 117595	Length 7.00 m

Player Cabin Model "ECO"

The player cabin ECO is made from high grade aluminium profiles. The structure is made from square hollow profiles with a cross section of 40x40x3 mm. The lower section is line by special aluminium profiles. The back side of the player cabin is closed with polycarbonate sheets. The sheets are mounted in a special support profile, which have a groove to mount them. It is equipped with plastic seats. The cabin measures a height of 2.2 m with a roof overhang of 20 cm. The bottom depth of the cabin is 90 cm. The player cabin is manufactured in one piece. For export, the cabin is also available in a dismantled version. On request, the whole cabin can be powder coated. The cabin is available in various lengths.

Order No. SP 117500	Length 2.00 m
Order No. SP 117510	Length 3.00 m
Order No. SP 117520	Length 4.00 m
Order No. SP 117530	Length 5.00 m
Order No. SP 117540	Length 6.00 m
Order No. SP 117560	Length 7.00 m



*Subject to technical alterations



Reserve Player Bench Model "Champ"

The player cabin Champ is made from high grade aluminium profiles. The structure is made from square hollow profiles with a cross section of 40x40x3 mm. The lower section is line by special aluminium profiles. The back side of the player cabin is closed with polycarbonate sheets. The sheets are mounted in a special support profile, which have a groove to mount them. It is equipped with specially manufactured leather seats. The cabin measures a height of 2.2 m with a roof overhang of 20 cm. The bottom depth of the cabin is 150 cm. The player cabin is manufactured in one piece. For export, the cabin is also available in a dismantled version. On request, the whole cabin can be powder coated. The cabin is available in various lengths.

Order No. SP 117405

Reserve Player Bench Model "Champ" 23 Seat

Order No. SP 117406

Reserve Player Bench Model "Champ" 12 Seat

Order No. SP 117410

Reserve Player Bench Model "Champ" 10 Seat

Order No. SP 117411

Reserve Player Bench Model "Champ" 8 Seat

Order No. SP 117412

Reserve Player Bench Model "Champ" 6 Seat

Order No. SP 117413

Reserve Player Bench Model "Champ" 4 Seat

Order No. SP 117414

Reserve Player Bench Model "Champ" 3 Seat

Order No. SP 117415

Reserve Player Bench Model "Champ" 2 Seat

Order No. SP 117416

Reserve Player Bench Model "Champ" 1 Seat

Order No. SP 117417

Reserve Player Bench Model "Champ" length on request



*Subject to technical alterations



Reserve Player Bench. 2 Row. Model "Champ"

The player cabin Champ double row is made from high grade aluminium profiles. The structure is made from square hollow profiles with a cross section of 40x40x3 mm. The lower section is line by special aluminium profiles. The seats of the cabin are arranged in two rows. The back row can be accessed via a staircase. The back side of the player cabin is closed with polycarbonate sheets. The sheets are mounted in a special support profile, which have a groove to mount them. It is equipped with specially manufactured leather seats. The seats of the cabin are arranged in two rows. The back row can be accessed via a staircase. The cabin measures a height of 2.2 m with a roof overhang of 20 cm. The bottom depth of the cabin is 200 cm. The player cabin is manufactured in one piece. For export, the cabin is also available in a dismantled version. On request, the whole cabin can be powder coated.

The cabin is available in various lengths.

Foot rest on request

Order No. SP 116991

Order No. SP 116992

Order No. SP 116993

Order No. SP 116994

Order No. SP 116995

Order No. SP 116996

Order No. SP 116997

Order No. SP 116998

Foot rest made from aluminium for 2 m player cabin

Foot rest made from aluminium for 3 m player cabin

Foot rest made from aluminium for 4 m player cabin

Foot rest made from aluminium for 5 m player cabin


Foot rest made from aluminium for 6 m player cabin

Foot rest made from aluminium for 7 m player cabin

Foot rest made from aluminium for 14 m player cabin

Foot rest made from aluminium for player cabin

Length on request



*Subject to technical alterations



Portable Player Tunnel

Made with structure of aluminium anodized. Profile of 43 x 35 mm. For the arches, which it allows to be able to replace the cloths of canvas between arch and arch of an independent way on the part of the own client, avoiding to have to send the tunnel to factory in case of break of someone of the same ones. Set of spikes of assembly in stainless steel AISI 304.

Movement of opening and closing by means of scissors of aluminium of 50 x 13.5 mm.; The heads of draft are of alloy of aluminium of smelting.

4 tension points extra to fix and to stretch the canvas (only one on the market)

Slides of the scissors in POLIZENE 500 that allow minimizing the rubbing in 60%, which minimizes the work in the task of extension and withdrawal of the tunnel.

Canvas in fabric of polyester of high tenacity, covered with PVC for both faces.

Fireproof M-2 of 620 grs. Colour of the canvas to choose.

Order No. SP 113000

Order No. SP 113010

Order No. SP 113020

Portable player tunnel. Width 2.00 m. High 2.30 m Import from Europe

Portable player tunnel. Width 2.00 m. High 2.30 m Import from Europe

Width 3.00 m. Height 2.30 m



Dummies

The Dummy Set consists of 5 units of dummies. They are made from HDPE and are mounted on aluminium tubes. The height of the dummies can be adjusted.

Order No. SP 113050

The dummy free standing is one single dummy. It is made from HDPE and is mounted on aluminium tubes. The height of the dummy can be adjusted.

Order No. SP 113060



Dummy Set of TWO

5 Dummy's made of UV resistant, firm plastic, resistant to heat and cold, bright yellow. Size about 150 x 47 cm. Trolley for Dummy Set TWO. About 260 cm long made of aluminium. Used with the mobile dummy trolley. The Dummy Set TWO becomes a versatile and mobile penalty wall. The trolley can also be stored in small equipment rooms.

Order No. SP 113030

The soccerwall practice dummy is made from aluminium. It is inherently stable and air permeable. The height of the dummy is 180 m.

Order No. SP 113072

The soccer wall dummy trolley is made from steel. The trolley caters for up to 5 dummies. It is equipped with wheels to move the dummies comfortably.

Order No. SP 113071



The trolley for dummy set is made from aluminium. It is designed to fit up to 5 dummies. It is equipped with wheels for easy transport. The trolley makes the dummies to a versatile free kick wall. It also allows an easy storage for the dummies.

Order No. SP 113040

*Subject to technical alterations

Linesman's Flag

The referee flag consist of the flag and a lightweight handle. The flag measures a size of 40x40 cm. The flags is red in colour.

Order No. SP 110535

The referee flag consist of the flag and a lightweight handle. The flag measures a size of 40x40 cm. The flags is yellow in colour.

Order No. SP 110730

The referee flag 'International' consist of the flag and a lightweight handle. The flag measures a size of 40x40 cm. The flags is red and yellow in colour.

Order No. SP 110746

The referee flag 'Quadro II' consist of the flag and a lightweight handle. The flag measures a size of 40x40 cm. The flags is red and yellow chequered.

Order No. SP 110745



The flexible corner flag is made from non-breaking plastic. The diameter of the pole is 50 mm. The pole is equipped with a spring mechanism, which allows the pole to flex.



Flag Pole

The free standing corner flag base is made from stainless steel. The base measures a diameter of 250 mm. It weights approximately 3 kg. The base is powder coated. At the centre the base is a full circle. At the corner the base is only three quarters of a circle.

Line Marking Trolley Roll-Liner

The line marking trolley ROLL-LINER is made from aluminium. The trolley is powder coated and measures 95 x 63 x 90 cm. The trolley is equipped with two pneumatic wheels. The trolley marks the line via its rollers in the front section of the trolley. The rollers are available in 50, 100 and 120 mm width. The handle for the trolley is height adjustable. The weight of the trolley is 21 kg. Its filling capacity is 15 litres. The balance of the marking fluid can be removed easily by the use of water.

Order No. SP 110760



*Subject to technical alterations

Ball Heading Post Two Side

The ball heading Post two sides is made from special aluminium profiles. The profile measures a cross section of 120x100x2.5 mm. The post is equipped with two balls, which are fixed on a rope. The item is used to improve the ball heading skills.


Order No. SP 110810

The standard ground socket is made from aluminium. It is installed in the ground to slot in the soccer goal post. The ground socket matches the soccer goal profile exactly. The socket measures a length of 800 mm.


Order No. SP 110860

The standard ground socket is made from aluminium. It is equipped with a special cover, which can be coated on site. It is installed in the ground to slot in the soccer goal post. The ground socket matches the soccer goal profile exactly. The socket measures a length of 800 mm.

Order No. SP 110870



*Subject to technical alterations



Practice Soccer Goal with Rugby

The practice soccer goal with rugby is made from special aluminium profiles. The inside dimension of this goal are 7.32x2.44 m. The front frame of the goal is made from oval 120x100x2.5 mm profile. The bottom frame is made from a rectangular hollow 80x60x3 mm. The top projection of the goal is 0.8 m. The lower projection measures 2.0 m. It is equipped with the INTERLOCK net hook system, which ensures that the nets hangs perfectly. The total height of the rugby goal post is 6.50 m. The goal is equipped with transport wheels.

Order No. SP 110010

White powder coated

Order No. SP 110020

Aluminium surface



*Subject to technical alterations



Rugby Goal Post

The rugby goal post is made from special aluminium profiles. The cross section of the post measures 120x100 mm. The goal consists of two vertical posts and a cross bar. The cross bar can be fixed to the vertical posts with two screws. The final height of the cross bar also can be adjusted on site. The top edge of the cross bar needs to be 3 m above the ground level. The distance between the vertical posts is 5.6 m. The goal is available in aluminium finish or powder coated. The vertical posts are available in various lengths.

Order No. SP	Height	Colour
112050	6.5m	Aluminium Surface
112051	6.5m	White Powder Coated
112000	9m	Aluminium Surface
112001	9m	White Powder Coated
112040	10m	Aluminium Surface
112041	10m	White Powder Coated
112030	11m	Aluminium Surface
112031	11m	White Powder Coated
112010	12m	Aluminium Surface
112011	12m	White Powder Coated



Padding For Rugby Goal Post

The rugby padding is made from a foam core and a PVC cover. The padding measures a height of 2.0 m x 0.55 x 0.55 m. Thickness is 150 mm. The PVC is weather resistant.

Order No. SP 112080	2.00m. One Color, Set (4 pcs)
Order No. SP 112080/2C	2.00m. Two Color, Set (4 pcs)
Order No. SP 112080/4C	2.00m. Four Color, Set (4 pcs)

*Subject to technical alterations